

Blackpool Grand Theatre  
Main Stage Lighting  
Specifications

**THE GRAND**  
THEATRE | BLACKPOOL

## **Grand Theatre, Blackpool (the venue)**

### **Lighting Details**

<b>Desk</b>	ETC Gio, 1024 channels, fader wing and remote.
<b>Dimmers</b>	Avolites Art 4000 192 channels.
<b>Lanterns</b>	36 Selecon 1.2kw fresnels. 10 Selecon 2.5kw fresnels 12 Selecon 28 – 52 profiles, A size gobo. 5 Selecon 4 cell flood units. 6 Selecon 1 cell flood units. 36 Thomas parcans (CP62)
<b>Front of house lanterns</b>	20 CCT 15-32 1.2kw profiles Gallery rail. A size gobo. Upper circle boom – 6 parcans per side (CP62)
<b>Temporary Power</b>	200A 3 phase powerlock located down stage left. 63A 1PN+E BS4343 (IEC/EN 60309-2) 63A 3PN+E BS4343 (IEC/EN 60309-2) 32A 1PN+E BS4343 (IEC/EN 60309-2) 32A 3PN+E BS4343 (IEC/EN 60309-2) 16A 1PN+E BS4343 (IEC/EN 60309-2) 16A 3PN+E BS4343 (IEC/EN 60309-2)

None of the above power outlets has RCD protection. It is expected that these points will supply your power distribution containing RCD protection. If it is deemed that your distribution does not contain RCD protection, we will remove the supply. The venue will not be responsible any consequences that may result be it financial or otherwise for failure to comply.

### **Fixture supplies**

Do not rely on the venue to supply power distribution for your fixtures. You must provide your own distribution equipment.

### **Follow Spots**

2 x Robert Juliat - Super Korrigan.

### **Rigging**

Tri-lite truss vertical on each side of proscenium opening.

Access via scaffolding tower only. (we keep onsite).

## **Advance**

2 points located down stage of proscenium arch. Maximum working load 1000kg. The venue has chain hoists permanently installed. Maximum truss length 8000mm.

## **Tallescope Focusing**

Touring companies can focus lights from the Tallescope bucket cage provided they have the relevant training with card or certificate to prove competency.

## **Portable Appliance Testing**

None of the above power outlets has RCD protection. It is expected that these points will supply your power distribution containing RCD protection. If it is deemed that your distribution does not contain RCD protection, we will remove the supply. The venue will not be responsible any consequences that may result be it financial or otherwise for failure to comply.

## **LOLER**

The venue enforces The Lifting Operations and Lifting Equipment Regulations 1998. All visiting companies must ensure that they have in their possession the correct documentation for any lifting equipment that is being brought in. Lifting equipment not having the correct documentation, SWL marked and test certificates will not be permitted to be used on the premises. The venue will not be responsible for any consequences that may result, be it financial or otherwise, for failure to comply.